Young people's responses to grief and ways you can help





334 Cobham Drive, Hillcrest, Hamilton, 3216 PO Box 325, WMC, Hamilton 3240

Telephone (07) 859 1260 www.hospicewaikato.org.nz

Content credit The Dougy Center www.dougy.org

Young people's responses to grief and ways you can help

For many of us, death can seem like a topic too difficult to approach.

This is especially true when death is to be discussed with children. Adults tend to treat the topic as something that children must be protected from rather than prepared for.

In many cases the fear of saying the wrong thing may lead to saying nothing at all - unintentionally conveying the message that death is too formidable even for adults to handle. When children receive little or inaccurate information around the death of a loved one, their grieving process and subsequent coping can be hindered, even harmed.

It is important to respond honestly, thoughtfully and respectfully to children's questions and concerns around impending death.

While everyone grieves differently, there are some behaviours and emotions commonly expressed by children depending on their developmental level or age.

No matter how old a child is, it can be helpful to read through each of the age ranges, as there are times when a six-year-old asks a complex, big picture question and times when a teenager is struggling to find a physical outlet for their grief.

We hope this information will help you to understand how grief affects children and teens across their developmental span.

Counselling services provided by Hospice for young people: The Hospice Family Services Team provides information and support for parents wanting to support their children under the age of seven. For children and young people over the age of seven years, our counsellors will carry out holistic assessments to ascertain a clear picture of family/whānau needs.

2-4 Years

Children this age don't fully understand that death is permanent. They are most likely to express themselves through their behaviour and play.

Young children see death as reversible and are starting to wonder if death happens to everyone.

You might hear questions like: "My mum died? When will she be home?" and "Will you die too? What about me?"

- Crying
- Irregular sleep
- Clinginess/need to be held
- Irritability
- Temper tantrums
- Telling the story to anyone, including strangers
- Same questions asked over and over again
- Behaviour regression may need help with tasks they've already learned



- Create a consistent routine to re-establish safety and predictability, especially around starting and ending the day.
- Provide short, honest explanation of the death. "Mummy died. Her body stopped working." Use the words dead and died. Avoid euphemisms such as gone, passed on, lost.
- Answer questions honestly.
- Set limits but be flexible when needed.
- Provide opportunities for play.
- Give choices whenever possible. "Do you want hot or cold cereal?"
- Offer lots of physical and emotional nurturance.

5-8 Years

Children this age are exploring their independence and trying tasks on their own. They are very concrete thinkers, with a tendency towards magical/ fantasy thoughts.

Concept of death

In this age range, children often still see death as reversible. They can also feel responsible and worry that their wishes or thoughts caused the person to die. They may say things like "It's my fault. I was mad and wished she'd die."

- Disrupted sleep, changes in eating habits
- Repetitive questions How? Why? Who else?
- Concerns about safety and abandonment
- Short periods of strong reaction, mixed with acting as though nothing happened
- Nightmares
- Regressive behaviours may need help with tasks they've already learned (can't tie shoes, bed-wetting)
- Behaviour changes: high/low energy, kicking/hitting
- Physical complaints: stomach aches, headaches, body pain



- Explain the death honestly using concrete language. "Daddy's heart stopped working." Use the words dead and died. Avoid euphemisms such as gone, passed on, lost.
- Be prepared for repetitive questions.
- Provide opportunities for big energy and creative play.
- Allow children to talk about the experience and ask questions.
- Offer lots of physical and emotional nurturance.
- Give choices whenever possible. "Your room needs to be cleaned. Would you like to do it tonight or tomorrow morning?"



9-12 Years

In this age group children may still be concrete thinkers but are beginning to understand abstract ideas like death and grief. They often start making closer connections with friends and activities outside their home and family.

Concept of death

Children this age begin to understand that death is permanent and start thinking about how the loss will affect them over the long-term. Some children will focus on the details of what happened to the body of the person who died.

Feelings of guilt and regret can lead to concern that their thoughts and actions made the death happen. They may say or think things like: "If I had done my homework, my teacher wouldn't have died," or "I think it was my fault because I was mean to my brother."

- Express big energy through behaviour sometimes seen as acting out
- Anxiety and concern for safety of self and others "The world is no longer safe"
- Worries about something bad happening again
- Difficulty concentrating and focusing
- Nightmares and intrusive thoughts
- Physical complaints: headaches, stomach aches, body pain
- Using play and talk to recreate the event
- Detailed questions about death and dying
- Wide range of emotions: rage, revenge, guilt, sadness, relief, and worry
- Hypervigilance/increased sensitivity to noise, light, movement, and change
- Withdrawal from social situations



- Inform yourself about what happened. Answer questions clearly and accurately. Even though children this age are starting to grasp abstract thought, it's still helpful to use the words dead and died and avoid euphemisms such as gone, passed on, lost, expired.
- Provide a variety of activities for expression: talk, art, physical activity, play, writing.
- Help children identify people and activities that help them feel safe and supported.
- Maintain routines and limits but be flexible when needed.
- Give children choices whenever possible, "Would you rather set the table or put away the dishes after we eat?"
- Work to re-establish safety and predictability in daily life.
- Model expressing emotions and taking care of yourself.
- Be a good listener. Avoid giving advice (unless they ask for it), analysing, or dismissing their experiences.
- Talk with teachers about providing extra support and flexibility with assignments.
- Seek professional help for any concerns around self-harm or suicidal thoughts.



13-18 Years

Teens are cognitively able to understand and process abstract concepts about life and death. They begin to see themselves as unique individuals, separate from their role in the family and may wrestle with identity and who they want to be in the world.

There can be significant changes in their priorities, spirituality/faith, sexuality, and physical appearance. Teens often rely on peers and others outside the family for support.

While teens understand death is permanent, they may have unspoken magical thoughts of the person being on a long trip, etc. They may also delve into questions about the meaning of life, death, and other traumatic events.

- Withdrawal from family or other support networks / focused on connections with peers
- Increased risk taking: drugs/alcohol, unsafe behaviours, reckless driving
- Inability to concentrate (school difficulties)/pushing themselves to succeed and be perfect
- Difficulty sleeping, exhaustion
- Lack of appetite/eating too much
- Unpredictable and at times intense emotional reactions: anger, sadness, guilt, relief, anxiety
- Uncomfortable discussing the death or their experiences with parents
 and caregivers
- Worry about safety of self and others
- Fear about death or violence happening again

- Confusion over role identity in the family
- Attempts to take on caregiving/parent role with younger siblings and other adults
- May have thoughts of suicide and self-harm
- Hypervigilance/increased sensitivity to noise, movement, light

- Reinforce assurances of safety and security, even if teens don't express concerns.
- Maintain routines and set clear expectations but be flexible when needed.
- Allow for expression of feelings without trying to change, fix, or take them away.
- Answer questions honestly.
- Provide choices whenever possible. "I'd like to do something to honour your dad's birthday, would you like to be part of that? What ideas do you have?"
- Adjust expectations for concentration and task completion when necessary.
- Assist teens to connect with support systems, including other adults (family, family friends, teachers, coaches).
- Model appropriate expressions of grief and ways to take care of yourself.
- Ask open ended questions ("What is it like for you?") and listen without judging, interpreting, advising, or placating.
- Have patience with teens' wide range of reactions and questions.
- Seek professional help for any concerns around self-harm or suicidal thoughts.

Recommended reading

Books on grief for children

- The Invisible String Patrice Karst
- The Fall of Freddie the Leaf Leo Buscaglia
- Walking Through the Maze A Children's Guide for Loss and Grief Lena Goldman
- No Matter What Debi Gliori
- Heaven Nicholas Allan

Books on grief for teenagers

- Healing your Grieving Heart for Teens Alan Wolfeltt
- The Grieving Teen; A Guide for Teenagers and their Friends Helen Fitzgerald
- Straight Talk about Death for Teenagers Earl A. Grollman

Book for parents

• Parenting From the Inside Out - Daniel J. Siegel

Useful website for parents

- Find a range of services for kids and teens including learning, behaviour, physical needs and extra curricular childcare at Kidslink www.kidslink.co.nz
- www.winstonswish.org.uk

Useful numbers

- Need to talk?: 1737 is a free call/text from any landline or mobile, 24 hours
- Youthline: Free call 0800 376 633, Free text 234, talk@youthline.co.nz
- Lifeline: Free call 0800 543 354, 24 hours
- CATT (Crisis Assessment): Free call 0800 50 50 50



334 Cobham Drive, Hillcrest, Hamilton, 3216 | PO Box 325, WMC, Hamilton 3240 Telephone (07) 859 1260 | Fax (07) 859 1266 | www.hospicewaikato.org.nz